

Ashok Kumar Gupta
STRUCTURE ENGINEER

2/127, Vijay Khand, Gomti Nagar.
Lucknow-226010
Mob.: 9335925127, 8400237777, 0522-2395166
PAN : AUMPG4379E, GSTN : 09AUMPG4379E1ZC
E-mail : aadhar_15@yahoo.com
aadhar150@gmail.com

Ref: aadhar/54/2023

Date: 07/03/23

TO WHOM IT MAY CONCERN

This is to certify that the school building of **ADHARSHILA PROGRESSIVE SCHOOL ATURA BUJURG RAIBARIELY** was designed as per the basis of following data.

1. Covered Area of Ground Floor - 3128.30 Sq.Mt. No. of Storey Two
2. Covered Area of First Floor - 6005.19 Sq.Mt.
3. Soil Report - Bearing capacity 11.6 t/m² at the depth of 1.00Mt.
4. Live Load - 400 kg/m²
5. Foundation type - Isolated foundation and with grid beam & Frame Structur
6. E.Q.Z one - III
7. R.C.C. Mix - M-25
8. Steel - Fe-500
9. Partition Wall Load - 100kg/m²
- 10.No of floor - G+1
11. Storey of Height - 3.65 Mt.
- 12.No of Staircase - Two

The design on the basis of I.S. 456-2000 is safe and sound.

Place:

Date:



(ASHOK KUMAR GUPTA)

ASHOK KUMAR GUPTA
Str. Engineer
2/127, Vijay Khand, Gomti Nagar
Lucknow-226010